



ITEM	QTY -041	QTY -042	P/N	DESCRIPTION
	X		D4049-041	MOUNTING LUG ASSY, LH
		X	D4049-042	MOUNTING LUG ASSY, RH
1	1		D4049-1	LUG
2		1	D4049-2	LUG
3	1		D4049-3	MOUNTING PLATE, LH
4		1	D4049-4	MOUNTING PLATE, RH



D4049-041 MOUNTING LUG ASSY, LH



D4049-042 MOUNTING LUG ASSY, RH

RELEASED
2010-04-14
MP




B	80° WAS 83°, 0.33 WAS 0.55 & 2.10 WAS 2.50 (ZN C6-2)	RF	10.03.19
A	NEW ISSUE	RF	10.01.29
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D4049	SHEET 1 OF 7
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	MOUNTING LUG ASSY	NTS
DATE	10.03.19	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

D

C

B

A



8 D4049-041 MOUNTING LUG ASSY, LH

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "WHITE" (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4049-041" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.64 lbs
- 8) WELD PER DART QSI 004 USING WELDING JIG DT9584

RELEASED
2010-04-14
mp

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4049	REV. B
MFG. APPR.	<i>[Signature]</i>		SHEET 2 OF 7
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	MOUNTING LUG ASSY	NTS
DATE	10.03.19	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

D

D

C


C

B

B

A

A





8 D4049-042 MOUNTING LUG ASSY, RH

RELEASED
2010-04-14
MP

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "WHITE" (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4049-042" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.64 lbs
- 8) WELD PER DART QSI 004 USING WELDING JIG DT9583

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4049	SHEET 3 OF 7
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	MOUNTING LUG ASSY	NTS
DATE	10.03.19	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




D4049-1 LUG (SHOWN)
D4049-2 LUG (OPPOSITE)

RELEASED
2010-04-14
MP


NOTES:

- NOTES:**
- 1) MATERIAL: AISI 304 STAINLESS STEEL BAR
REF DART SPEC M304B
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.17 lbs


DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D4049	SHEET 4 OF 7
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	MOUNTING LUG ASSY	NTS
DATE	10.03.19	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT	





D4049-3F FLAT PATTERN



D4049-3 MOUNTING PLATE, LH
(MAKE FROM D4049-3F FLAT PATTERN)



D4049-4 MOUNTING PLATE, RH
(MAKE FROM D4049-3F FLAT PATTERN)




NOTES:


- 1) MATERIAL: AISI 304/316 STAINLESS STEEL ANNEALED 2B FINISH, 0.125" THICK
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240
PER DART SPEC M304S11GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.46 lbs

RELEASED
2010-04-14


DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4049	SHEET 5 OF 7
APPROVED		TITLE	SCALE
DE APPR.		MOUNTING LUG ASSY	NTS
DATE	10.03.19	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



VIEW A-A D5-6



D4049-5 MOUNTING LUG, LH





NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AMS-QQ-A-225/8 OR AMS-QQ-A-200/8 OR ASTM B211 OR B221
PER DART SPEC M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4049-5" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.10 lbs

RELEASED
2010-04-14

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4049	SHEET 6 OF 7
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	MOUNTING LUG ASSY	NTS
DATE	10.03.19	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	







D4049-8 MOUNTING LUG, RH

NOTES:

- NOTES:**
- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AMS-QQ-A-225/8 OR AMS-QQ-A-200/8 OR ASTM B211 OR B221
PER DART SPEC M6061T6B
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4049-8" USING FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT: 0.10 lbs

RELEASED
2010-04-14

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4049	SHEET 7 OF 7
APPROVED		TITLE	SCALE
DE APPR.		MOUNTING LUG ASSY	NTS
DATE	10.03.19	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT IT WRITTEN PERMISSION.	